U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency

ELEVATION CERTIFICATE

Expires March 31, 2012

National Flood Insurance Program

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008

SECTION A - PROPERTY INFORMATION	For Insurance Company Use:
A1. Building Owner's Name DEBORAH BAER	Policy Number
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1804 NANCY AVE	Company NAIC Number
City CENTRAL POINT State OR ZIP Code 97502	
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) LOT 5, BLOCK 7, GREEN GLEN SUBDIVISION UNIT NO 2: JACKSON COUNTY ASSESSORS MAP: 37 2W 03BA,	TAX LOT 1821
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 9 A8. For a building with a crawlspace or enclosure(s): a) Square footage of crawlspace or enclosure(s) b) No. of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade c) Total net area of flood openings in A8.b Engineered flood openings? A9. For a building with an attraction at the crawlspace or within 1.0 foot above adjacent grade b) No. of permanent flood within 1.0 foot above adjacent grade c) Total net area of flood openings? C) Total net area of flood openings?	tached garage 440 sq ft od openings in the attached garage adjacent grade 0 openings in A9.b N/A sq in enings?
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION	DN
B1. NFIP Community Name & Community Number CITY OF CENTRAL POINT, 410092 B2. County Name JACKSON	B3. State OR
B4. Map/Panel Number 41029C 1768 B5. Suffix F Date Date MAY 3, 2011 B6. FIRM Index Effective/Revised Date MAY 3, 2011 B8. Flood Zone(s) AE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 1241.8
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Described B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Designation Date CBRS OPA SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED Building elevations are based on the process of the provided by the provided by the process of the provided by the provi	☐ Yes ☒ No
 C1. Building elevations are based on: Construction Drawings* Building Under Construction* *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/A below according to the building diagram specified in Item A7. Use the same datum as the BFE. Benchmark Utilized P549 Vertical Datum NAVD88 Conversion/Comments NONE 	☑ Finished Construction AH, AR/AO. Complete Items C2.a-h
Check the measure	ement used.
a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 1238.8	erto Rico only) erto Rico only) erto Rico only)
f) Lowest adjacent (finished) grade next to building (LAG) 1239.5 ☐ feet ☐ meters (Pueg) Highest adjacent (finished) grade next to building (HAG) 1240.3 ☐ feet ☐ meters (Puego in the finished) grade next to building (HAG)	
 h) Lowest adjacent grade at lowest elevation of deck or stairs, including N/A.	rto Rico only)
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION To a serious seriou	
This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify eleva information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Check here if comments are provided on back of form. Were latitude and longitude in Section A provided by licensed land surveyor? Yes No	PROFESSIONAL LAND SURVEYOR
Certifier's Name CAEL E. NEATHAMER License Number LS 56545	Caul ZHEREATHAM
Title VICE PRESIDENT Company Name NEATHAMER SURVEYING, INC.	OREGON
Address 3126 STATE ST, SUITE 100	UUV 00 2004
Cael C. Neutnamy Date 03-09-2011 Telephone (541) 732-2869	RENEWAL: DEC. 31, 2012

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1804 NANCY AVE	Insurance Company Use: icy Number mpany NAIC Number UED)
Coty CENTRAL POINT State OR ZIP Code 97502 SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTIN) Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner. Comments [A5] COORDINATES UTILIZING GOOGLE EARTH (LAG AT THE NORTH LINE OF THE GARAGE AT THE WE [A8.b] 13 DECORATIVE BLOCK FOUNDATION VENTS (EACH CONSISTING OF 4.05 SO, INCHES OF COUNTABLE ARE [C2.e] LOCATION AT TOP OF CONCRETE PAD FOR HEAT PUMP. ** BOTTOM OF AN ELEVATED GAS FORCED AIR U 1240.8 FEET AND AN ELEVATED WATER HEATER IN THE GARAGE IS AT 1241.3 FEET. ALL ELEVATIONS MEASURE! ANAVOBS VERTICAL DATUM, REFERENCED TO CITY OF CENTRAL POINT PUBLISHED BENCHMARKS (BM-1 IS ALSO Signature) SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND J. AND ADDITIONAL OF A STATE OF	mpany NAIC Number
SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINI Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner. Comments [AS] COORDINATES UTILIZING GOOGLE EARTH (LAG AT THE NORTH LINE OF THE GARAGE AT THE WE [A8.b] 13 DECORATIVE BLOCK FOUNDATION VENTS (EACH CONSISTING OF 40.55 SO INCHES OF COUNTABLE ARE [C2.e] LOCATION AT TOP OF CONCRETE PAD FOR HEAT PUMP. ** BOTTOM OF AN ELEVATED GAS FORCED AIR UI 1240.8 FEET AND AN ELEVATED WATER HEATER IN THE GARAGE IS AT 1241.3 FEET. ALL ELEVATIONS MEASURE! NAVD88 VERTICAL DATUM, REFERENCED TO CITY OF CENTRAL POINT PUBLISHED BENCHMARKS (BM-1 IS ALSO Signature Date 03-09-2011 SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND : For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F requ and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawlspace, or enclosure) is	
Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner. Comments [A5] COORDINATES UTILIZING GOOGLE EARTH (LAG AT THE NORTH LINE OF THE GARAGE AT THE WE [A8.b] 13 DECORATIVE BLOCK FOUNDATION VENTS (EACH CONSISTING OF 40.55 SQ INCHES OF COUNTABLE ARE [C2.e] LOCATION AT TOP OF CONCRETE PAD FOR HEAT PUMP. ** BOTTOM OF AN ELEVATED GAS FORCED AIR UI 1240.8 FEET AND AN ELEVATED WATER REATER IN THE GARAGE IS AT 1241.3 FEET. ALL ELEVATIONS MEASUREIN NAVD88 VERTICAL DATUM, REFERENCED TO CITY OF CENTRAL POINT PUBLISHED BENCHMARKS (BM-1 IS ALSO Signature) SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ADDITION OF CONTRAL POINT PUBLISHED BENCHMARKS (BM-1 IS ALSO SIGNATURE) For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F required C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above grade (IHAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawlspace, or enclosure) is feetmetersabove b) Top of bottom floor (including basement, crawlspace, or enclosure) is feetmetersabove or below the HAG. E2. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8-9 of Ins (elevation C2.b in the diagrams) of the building is feetmetersabove or below the HAG. E3. Attached garage (top of slab) is feetmetersabove or below the HAG. E4. Top of platform of machinery and/or equipment servicing the building is feetmetersabove or below the HAG. E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the comordinance? Yes No	UED)
Comments [A5] COORDINATES UTILIZING GOOGLE EARTH (LAG AT THE NORTH LINE OF THE GARAGE AT THE WE (A8.b) 13 DECORATIVE BLOCK FOUNDATION VENTS (EACH CONSISTING OF 40.55 SQ INCHES OF COUNTABLE ARE (IC.2.e) LOCATION AT TOP OF CONCRETE PAD FOR HEAT PUMP. **BOTTOM OF AN ELEVATED GAS FORCED AIR UI 1240.8 FEET AND AN ELEVATED WATER HEATER IN THE GARAGE IS AT 1241.3 FEET. ALL ELEVATIONS MEASUREI NAVD88 VERTICAL DATUM, REFERENCED TO CITY OF CENTRAL POINT PUBLISHED BENCHMARKS (BM-1 IS ALSO Signature	
A8.b) 13 DECORATIVE BLOCK FOUNDATION VENTS (EACH CONSISTING OF 40.55 SQ INCHES OF COUNTABLE ARE (C2.e) LOCATION AT TOP OF CONCRETE PAD FOR HEAT PUMP. ** BOTTOM OF AN ELEVATED GAS FORCED AIR UI 240.8 FEET AND AN ELEVATED WATER HEATER IN THE GARAGE IS AT 1241.3 FEET. ALL ELEVATIONS MEASUREI NAVD88 VERTICAL DATUM, REFERENCED TO CITY OF CENTRAL POINT PUBLISHED BENCHMARKS (BM-1 IS ALSO Signature	
SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawlspace, or enclosure) is feetmetersabove how b) Top of bottom floor (including basement, crawlspace, or enclosure) is feetmetersabove feetmetersabove or below the HAG. E3. Attached garage (top of slab) is feetmetersabove or below the HAG. E4. Top of platform of machinery and/or equipment servicing the building is feetmetersabove or below the HAG. E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the comordinance? Yes No Unknown. The local official must certify this information in Section G. SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICA The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-is or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. Property Owner's or Owner's Authorized Representative's Name Address	A), WITH HARDWARE CLOTH. NIT IN THE GARAGE IS AT D HEREON BASED ON THE
For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F required and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above grade (IHAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawlspace, or enclosure) is feetmetersabove b) Top of bottom floor (including basement, crawlspace, or enclosure) is feetmetersabove or below the Hadis of the building is feetmetersabove or below the HAGIS attached garage (top of slab) is feetmetersabove or below the HAGIS attached garage (top of slab) is feetmetersabove or below the HAGIS attached garage (top of slab) is feetmeters above or below the HAGIS attached garage (top of slab) is feetmeters	☐ Check here if attachments
and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawlspace, or enclosure) is	ZONE A (WITHOUT BFE)
SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-is or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. Property Owner's or Owner's Authorized Representative's Name Address City State Signature Date Telephone	or below the highest adjacent re or below the HAG. re or below the LAG. tructions), the next higher floor G. r below the HAG.
The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-is or Zone AO must sign here. <i>The statements in Sections A, B, and E are correct to the best of my knowledge.</i> Property Owner's or Owner's Authorized Representative's Name Address City State Telephone	TION
Address City State Signature Date Telephone	
Signature Date Telephone	
oignature	ZIP Code
Comments	
	☐ Check here if attachment
SECTION G - COMMUNITY INFORMATION (OPTIONAL)	
The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can c	omplete Sections A, B, C (or E),
and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed su is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comm	rveyor, engineer, or architect who
G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-iss	
G3. The following information (Items G4-G9) is provided for community floodplain management purposes.	
G4. Permit Number G5. Date Permit Issued G6. Date Certificate Of Compliance N/A N/A N/A	ce/Occupancy Issued
G7. This permit has been issued for: New Construction Substantial Improvement	
G8. Elevation of as-built lowest floor (including basement) of the building: 1238.8 🛮 feet 🗖 meters (PR) Datum NAVD88	8
G9. BFE or (in Zone AO) depth of flooding at the building site: 1241.8 ☐ feet ☐ meters (PR) Datum NAVD88	
G10. Community's design flood elevation 1242.8 🖾 feet 🗆 meters (PR) Datum NAVD88	3
Local Official's Name Stephanie Holtey, CFM Title Floodplain Coordinator	
Community Name City of Central Point Telephone 541.664.7602	
Signature Suphanie Hottus Date 3/22/2011	
Comments Structure is Post-FIRM (built in 1984). Flood Comparison Map is attached. Original BFE (1982 FIRM) was 1237 NAVD88. Below-grade crawlspace has insufficient flood vents, dirt floor is below the BFE on the 1982 & 2011 FIRMs. Utiliti BFE on both FIRMs. Attached garage needs flood vents per Ch. 8.24, CPMC specification. The first habitable floor is above BFE on the 2011 FIRM.	es and garage slab are below the

Building PhotographsSee Instructions for Item A6.

	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.	Policy Number
1804 NANCY AVE	
City CENTRAL POINT State OR ZIP Code 97502	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page, following.

WEST FACE OF HOME



Building Photographs Continuation Page


	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1804 NANCY AVE	Policy Number
City CENTRAL POINT State OR ZIP Code 97502	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View."





Proposed Floodplain Comparison



For Reference Only

Elevation Certs Existing Flood Map

COMAS COMAS

Information provided on the Preliminary Digital Flood Insurance Rate Map (DFIRM) is subject to change until formally adopted by FEMA.

X-SHADED AO 100yr FLOODWAY AE 100yr A 100yr Legend

Source: FEMA Preliminary DFIRM 410092 1768F, 1769F, 1956F, & 1957F. June 30, 2009

Source: FEMA FIRM 410092 0001C, effective April 1, 1982, & 415589 0402B, revised January 19, 1982.

500-Year B Zone 100-Year A Zone

	•	